

T800

FULLY RUGGED 8.1" TABLET

- Large 8.1" LumiBond® sunlight readable display
- Quad-core Intel® N3530 2.16 GHz processor
- MIL-STD 810G and IP65 certified
- 802.11ac next generation WiFi
- Unique SnapBack add-ons
- Front HD camera / rear 5MP auto focus camera
- Industry-leading bumper-to-bumper warranty
- Optional integrated 4G LTE broadband wireless²



Large 8.1" Display.

The T800 features a large 8.1" display that utilizes our revolutionary LumiBond technology to achieve a display that is more readable, and offers better contrast and more crisp colors than any other rugged tablet display. By bonding the display glass with the touch panel and LCD, we've created a single pane that is both more durable and readable.



SnapBack Add-ons.

We designed the T800 for expandability with our unique SnapBack add-ons. Integrated as an extension to the T800, you can add an extended battery or SmartCard reader, RFID or Magnetic Strip reader. And, they easily snap right on or off, no tools necessary.



Blazing Fast Wireless.

Every T800 includes the latest 802.11ac WiFi for data transfer speeds up to 3X faster than 802.11n products. Designed to be used in the field, your T800 can be configured with 4G LTE cellular data with an auto tunable 8-band antenna capable of quickly switching between bands.



Quad-Core Performance.

Inside the T800, we packed an incredible amount of power and technology. Built with the latest Quad-core Intel N3530 2.16 GHz processor, the T800 can remain running at near full speed when other tablets processors would otherwise throttle back performance to avoid overheating.



Vehicle Ready.

For vehicle deployments, the T800 can be configured with triple pass-through antenna ports allowing you to simultaneously connect high-gain GPS, WWAN and WLAN roof mounted antennas.



Bumper-to-Bumper Warranty.

Accidents happen. Only Getac offers bumper-to-bumper coverage standard on every T800 rugged tablet.

GETAC T800

Specifications

Getac

GetacSales_US@getac.com
www.getac.com
949.681.2900

Getac, Inc.
43 Tesla
Irvine, CA 92618

Ruggedness	MIL-STD 810G and IP65 certified Vibration, drop, temperature & humidity resistant Optional ANSI/ISA 12.12.01*	Temperature	Operating Temp: -5.8° F to 122° F / -21°C to 50°C Storage Temp: -40°F to 160°F / -40°C to 71°C Humidity: 95% RH, non-condensing
Operating System	Windows® 8.1 Professional	I/O Interfaces	DC in x 1 USB 3.0 x 1 Docking port x 1 Headphone out/Mic-in Combo x 1 Micro HDMI x 1
CPU	Quad-core Intel® N3530 2.16 GHz Processor (up to 2.58 GHz) 2MB Cache	Expansion Slot⁵	1D/2D imager barcode reader; or 10/100/1000 base-t Ethernet
Memory	4GB DDR3L	Snapback Add-ons	External battery (2100mAh) SmartCard & RFID reader SmartCard & Magnetic Stripe Card reader
Storage	SATA SSD 64GB; or SATA 128GB Solid State ¹	Warranty	3 Year bumper-to-bumper warranty standard ⁶
VGA Controller	Intel HD Graphics		
Display	8.1" TFT LCD HD (1280x800) 600 NITS LumiBond® sunlight readable LED display with multi-touch technology		
Communications	802.11ac WLAN Bluetooth (v4.0 class 1) Optional GPS Optional 4G LTE mobile broadband ² with tri pass-through		
Camera	HD webcam x 1 5MP rear camera		
Power	AC Adapter (65W, 100-240VAC, 50/60Hz) Li-Ion battery (2100mAh) (up to 8 hours of battery life) ³		
Dimensions and Weight	8.9" x 5.9" x 0.9" (227 x 151 x 24mm) 2.1lbs (0.95kg) ⁴		

Specification subject to change without notice.

* ANSI/ISA 12.12.01 Certification is without snapback accessory.

¹ For storage, 1GB = 1 billion bytes; actual formatted capacity less.

² Data plan required. Cellular data is available in the US on Verizon Wireless and AT&T networks. LTE is available in select markets. Check with your carrier for details. 4G LTE configuration must be ordered at time of purchase.

³ Battery life testing conducted under BatteryMark 4.0.1. Battery performance will vary based on software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. As with all batteries, maximum capacity decreases with time and use and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.

⁴ Weight varies by configuration and manufacturing process.

⁵ Expansion slot factory installed and limited to one option. Subject to minimum purchase requirements.

⁶ 3 year bumper-to-bumper limited warranty standard. For warranty terms and conditions visit www.getac.com

Copyright 2015, Getac, All Rights Reserved. Getac and the Getac logo are either registered trademarks or trademarks of Getac Technology Corporation in the United States and/or other countries. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and in other countries. All other trademarks are the property of their respective owners.

V3M02Y15